IN THE CLAIMS

This listing of claims replaces all prior listings.

1. (Original) An organic electroluminescent device comprising an anode, a cathode, and an organic layer arranged between said anode and said cathode, wherein at least a part of said organic layer comprises at least one aminostyrylnaphthalene compound represented by the following formula [A1]:

Formula [A]

wherein:

R^a and R^b may be the same or different and each independently represents a substituted or unsubstituted arvl group,

 R^c , R^d , R^c , R^g , R^h and R^i may be the same or different, at least one of R^c , R^d , R^c , R^g , R^h and R^i independently represents a hydrogen atom, a cyano group, a nitro group, a trifluoromethyl group or a halogen atom, and the remaining one or ones of R^c , R^d , R^e , R^g , R^h and R^i , if any, are each a hydrogen atom, a cyano group, a nitro group, a trifluoromethyl group or a halogen atom, and

R^f represents a substituted or unsubstituted, saturated or unsaturated alkyl group, a substituted or unsubstituted alicyclic hydrocarbon group, a substituted or unsubstituted aryl group, a substituted or unsubstituted alicyclic hydrocarbyloxy group or a substituted or unsubstituted arylenge.

2. (Original) The organic electroluminescent device according to claim 1, wherein at least said part of said organic layer comprises at least one aminostyrylnaphthalene compound represented by the following formula [I], [II] or [III]:

Formula [I]

$$\begin{array}{c} R^{1} \\ N \end{array} \begin{array}{c} CH \approx CH - \begin{array}{c} R^{3} \\ R^{2} \end{array}$$

wherein:

 R^1 and R^2 may be the same or different and each independently represents a phenyl group represented by the following formula (1):

Formula (1)

wherein R^6 , R^7 , R^8 , R^9 and R^{10} may be the same or different, at least one of R^6 to R^{10} represents a hydrogen atom, a saturated or unsaturated hydrocarbon group having at least one carbon atom with a proviso that, when at least two adjacent ones of R^6 to R^{10} each represents a saturated or unsaturated hydrocarbon group having at least one carbon atom, at least said two adjacent ones of R^6 to R^{10} may be fused together to form a ring, a saturated or unsaturated hydrocarbyloxy group having at least one carbon atom, a saturated or unsaturated hydrocarbylamino group having at least one carbon atom, a trifluoromethyl group, a cyano group or a halogen atom, and the remaining one or ones of R^6 to R^{10} , if any, are each a hydrogen atom, a saturated or unsaturated hydrocarbon group having at least one carbon atom with a proviso that, when at least two adjacent ones of R^6 to R^{10} each represents a saturated or unsaturated hydrocarbon group having at least one carbon atom adjacent ones of R^6 to R^{10} may be fused together to form a ring, a saturated or unsaturated hydrocarbyloxy group having at least one carbon atom, a trifluoromethyl group, a cyano group or a halogen atom, a trifluoromethyl group, a cyano group or a halogen atom,

R³ and R⁴ may be the same or different, one of R³ and R⁴ represents a hydrogen atom, a cyano group, a nitro group, a trifluoromethyl group or a halogen atom, and the remaining one represents a hydrogen atom, a cyano group, a nitro group, a trifluoromethyl group or a halogen atom, and

R⁵ represents a substituted or unsubstituted, saturated or unsaturated alkyl group, a substituted or unsubstituted, alicyclic hydrocarbon group, a substituted or unsubstituted aryl group, a substituted or unsubstituted alkoxyl group, a substituted or unsubstituted, alicyclic hydrocarbyloxy group, or a substituted or unsubstituted, aromatic hydrocarbyloxy group.

Formula [II]

wherein:

R11 and R12 may be the same or different and each independently represents a naphthyl group represented by the following formula (2):

Formula (2)

wherein R¹⁶, R¹⁷, R¹⁸, R¹⁹, R²⁰, R²¹ and R²² may be the same or different, at least one of R¹⁶ to R²² represents a hydrogen atom, a saturated or unsaturated hydrocarbon group having at least one carbon atom, a saturated or unsaturated hydrocarbyloxy group having at least one carbon atom, a saturated or unsaturated hydrocarbylamino group having at least one carbon atom, a trifluoromethyl group, a cyano group or a halogen atom, and the remaining one or ones of R¹⁶ to R²², if any, are each a hydrogen atom, a saturated or unsaturated hydrocarbon group having at least one carbon atom, a saturated or unsaturated hydrocarbyloxy group having at least one carbon atom, a saturated or unsaturated hydrocarbyloxy group having at least one carbon atom, a value of unsaturated hydrocarbyloxy group having at least one carbon atom, a saturated or unsaturated hydrocarbyloxy group having at least one carbon atom, a value of unsaturated hydrocarbyloxy group having at least one carbon atom, a value of unsaturated hydrocarbyloxy group having at least one carbon atom, a value of unsaturated hydrocarbyloxy group having at least one carbon atom, a value of unsaturated hydrocarbyloxy group having at least one carbon atom, a value of unsaturated hydrocarbyloxy group having at least one carbon atom, a value of unsaturated hydrocarbyloxy group having at least one carbon atom, a value of unsaturated hydrocarbyloxy group having at least one carbon atom, a value of unsaturated hydrocarbyloxy group having at least one carbon atom, a value of unsaturated hydrocarbyloxy group having at least one carbon atom, a value of unsaturated hydrocarbyloxy group having at least one carbon atom, a value of unsaturated hydrocarbyloxy group having at least one carbon atom, a value of unsaturated hydrocarbyloxy group having at least one carbon atom, a value of unsaturated hydrocarbyloxy group having at least one carbon atom, a value of unsaturated hydrocarbyloxy group having at least one carbon atom, a value of unsaturated hydrocarbyloxy g

R¹³ and R¹⁴ may be the same or different, one of R¹³ and R¹⁴ represents a hydrogen atom, a cyano group, a nitro group, a trifluoromethyl group or a halogen atom, and the remaining one represents a hydrogen atom, a cyano group, a nitro group, a trifluoromethyl group or a halogen atom, and

R¹⁵ represents a substituted or unsubstituted, saturated or unsaturated alkyl group, a substituted or unsubstituted, alicyclic hydrocarbon group, a substituted or unsubstituted aryl group, a substituted or unsubstituted alkoxyl group, a substituted or unsubstituted, alicyclic hydrocarbyloxy group, or a substituted or unsubstituted, aromatic hydrocarbyloxy group.

Formula [III]

wherein:

R²³ is a phenyl group represented by the following formula (3):

Formula (3)

wherein R²⁸, R²⁹, R³⁰, R³¹ and R³² may be the same or different, at least one of R²⁸ to R³¹ represents a hydrogen atom, a saturated or unsaturated hydrocarbon group having at least one carbon atom with a proviso that, when at least two adjacent ones of R²⁸ to R³¹ each represents a saturated or unsaturated hydrocarbon group having at least one carbon atom, at least said two adjacent ones of R²⁶ to R³¹ may be fused together to form a ring, a hydrocarbyloxy group having at least one carbon atom, a hydrocarbylamino group having at least one carbon atom, a trifluoromethyl group, a cyano group or a halogen atom, and the remaining one or ones of R²⁸ to R³¹, if any, are each a hydrogen atom, a saturated or unsaturated hydrocarbon group having at least one carbon atom with a proviso that, when at least two adjacent ones of R⁶ to R¹⁰ each represents a saturated or unsaturated hydrocarbon group having at least one carbon atom, at least said two adjacent ones of R⁶ to R¹⁰ may be fused together to form a ring, a saturated or unsaturated hydrocarbyloxy group having at least one carbon atom, a saturated or unsaturated hydrocarbylamino group having at least one carbon atom, a cyano group or a halogen atom,

R²⁴ represents a naphthyl group represented by the following formula (4): Formula (4)

wherein R³³, R³⁴, R³⁵, R³⁶, R³⁷, R³⁸ and R³⁹ may be the same or different, at least one of R³³ to R³⁹ represents a hydrogen atom, a saturated or unsaturated hydrocarbon group having at least one carbon atom, a saturated or unsaturated hydrocarbyloxy group having at least one carbon atom, a saturated or unsaturated hydrocarbylamino group having at least one carbon atom, a trifluoromethyl group, a cyano group or a halogen atom, and the remaining one or ones of R³³ to R³⁹, if any, are each a hydrogen atom, a saturated or unsaturated hydrocarbon group having at least one carbon atom, a saturated or unsaturated hydrocarbyloxy group having at least one carbon

atom, a saturated or unsaturated hydrocarbylamino group having at least one carbon atom, a trifluoromethyl group, a cyano group or a halogen atom.

R²⁵ and R²⁶ may be the same or different, one of R²⁵ and R²⁶ represents a hydrogen atom, a cyano group, a nitro group, a trifluoromethyl group or a halogen atom, and the remaining one represents a hydrogen atom, a cyano group, a nitro group, a trifluoromethyl group or a halogen atom, and

R²⁷ represents a substituted or unsubstituted, saturated or unsaturated alkyl group, a substituted or unsubstituted, alicyclic hydrocarbon group, a substituted or unsubstituted aryl group, a substituted or unsubstituted alkoxyl group, a substituted or unsubstituted, alicyclic hydrocarbyloxy group, or a substituted or unsubstituted, aromatic hydrocarbyloxy group.

- 3. (Original) The organic electroluminescent device according to claim 1, wherein said organic layer is in a form of an organic multilayer structure comprising a hole transport layer and an electron transport layer stacked one over the other, and at least said electron transport layer in said organic layer comprises at least said one aminostyrylnaphthalene compound.
- 4. (Original) The organic electroluminescent device according to claim 1, wherein said organic layer is in a form of an organic multilayer structure comprising a hole transport layer and an electron transport layer stacked one over the other, and at least said hole transport layer in said organic layer comprises at least said one aminostyrylnaphthalene compound.
- 5. (Original) The organic electroluminescent device according to claim 1, wherein said organic layer is in a form of an organic multilayer structure comprising a hole transport layer, a luminescent layer and an electron transport layer stacked one over another, and at least said luminescent layer in said organic layer comprises at least said one aminostyrylnaphthalene compound.
- (Original) The organic electroluminescent device according to claim 2, wherein said aminostyrylnaphthalene compound is represented by the following formula (5), (6), (7), (8), (9), (10), (11), (12), (13), (14), (15), (16) or (17):

Formula (5)

wherein R⁴⁰ represents a saturated or unsaturated alkyl group having 1 to 6 carbon atoms or a substituted or unsubstituted aryl group, and R⁴¹ has the same meaning as R⁵.

Formula (6)

wherein R⁴² and R⁴³ may be the same or different and each independently represents a saturated or unsaturated alkyl group having 1 to 6 carbon atoms or a substituted or unsubstituted aryl group, and R⁴⁴ has the same meaning as R⁵.

Formula (7)

wherein R⁴⁵ represents a saturated or unsaturated alkyl group having 1 to 6 carbon atoms or a substituted or unsubstituted aryl group, and R⁴⁶ has the same meaning as R²⁷.

Formula (8)

wherein R⁴⁷ and R⁴⁸ may be the same or different, one of R⁴⁷ and R⁴⁸ represents a saturated or unsaturated alkyl group having 1 to 6 carbon atoms or a substituted or unsubstituted aryl group, the remaining one of R⁵² and R⁵³ represents a saturated or unsaturated alkyl group having 1 to 6 carbon atoms or a substituted or unsubstituted aryl group, and R⁴⁹ has the same meaning as R²⁷.

Formula (9)

wherein R⁵⁰ represents a saturated or unsaturated alkyl group having 1 to 6 carbon atoms or a substituted or unsubstituted aryl group, and R⁵¹ has the same meaning as R²⁷.

Formula (10)

wherein R⁵² and R⁵³ may be the same or different, one of R⁵² and R⁵³ represents a saturated or unsaturated alkyl group having 1 to 6 carbon atoms or a substituted or unsubstituted aryl group, the remaining one of R⁵² and R⁵³ represents a saturated or unsaturated alkyl group having 1 to 6 carbon atoms or a substituted or unsubstituted aryl group, and R⁵⁴ has the same meaning as R²⁷.

Formula (11)

wherein R^{55} represents a saturated or unsaturated alkyl group having 1 to 6 carbon atoms or a substituted or unsubstituted aryl group, and R^{56} has the same meaning as R^5 .

Formula (12)

wherein R^{57} represents a saturated or unsaturated alkyl group having 1 to 6 carbon atoms or a substituted or unsubstituted aryl group, and R^{58} has the same meaning as R^{5} .

Formula (13)

wherein R^{59} represents a saturated or unsaturated alkyl group having 1 to 6 carbon atoms or a substituted or unsubstituted arvl group, and R^{60} has the same meaning as R^{5} .

Formula (14)

wherein R^{61} represents a saturated or unsaturated alkyl group having 1 to 6 carbon atoms or a substituted or unsubstituted aryl group, and R^{62} has the same meaning as R^{15} .

Formula (15)

wherein R^{63} and R^{64} may be the same or different, one of R^{63} and R^{64} represents a saturated or unsaturated alkyl group having 1 to 6 carbon atoms or a substituted or unsubstituted aryl group, the remaining one of R^{63} and R^{64} represents a saturated or unsaturated alkyl group having 1 to 6 carbon atoms or a substituted or unsubstituted aryl group, and R^{65} has the same meaning as R^{15} .

Formula (16)

wherein R^{66} represents a saturated or unsaturated alkyl group having 1 to 6 carbon atoms or a substituted or unsubstituted aryl group, and R^{67} has the same meaning as R^{15} .

Formula (17)

wherein R^{68} and R^{69} may be the same or different, one of R^{68} and R^{69} represents a saturated or unsaturated alkyl group having I to 6 carbon atoms or a substituted or unsubstituted aryl group, the remaining one of R^{68} and R^{69} represents a saturated or unsaturated alkyl group having I to 6 carbon atoms or a substituted or unsubstituted aryl group, and R^{70} has the same meaning as R^{15} .

(Original) An aminostyrylnaphthalene compound represented by the following formula
 [A]:

Formula [A]

wherein:

Ra and Rb may be the same or different and each independently represents a substituted or unsubstituted arvl group.

 R^c , R^d , R^c , R^g , R^h and R^i may be the same or different, at least one of R^c , R^d , R^c , R^g , R^h and R^i independently represents a hydrogen atom, a cyano group, a nitro group, a trifluoromethyl group or a halogen atom, and the remaining one or ones of R^c , R^d , R^c , R^g , R^h and R^i , if any, are each a hydrogen atom, a cyano group, a nitro group, a trifluoromethyl group or a halogen atom, and

R^f represents a substituted or unsubstituted, saturated or unsaturated alkyl group, a substituted or unsubstituted alicyclic hydrocarbon group, a substituted or unsubstituted aryl group, a substituted or unsubstituted alicyclic hydrocarbyloxy group or a substituted or unsubstituted alicyclic hydrocarbyloxy group or a substituted or unsubstituted aromatic hydrocarbyloxy group.

8. (Original) The aminostyrylnaphthalene compound according to claim 7, which is represented by the following formula [II. [III] or [IIII]:

Formula [I]

$$R^1$$
 N $CH \approx CH$ R^3 R

wherein:

R¹ and R² may be the same or different and each independently represents a phenyl group represented by the following formula (1):

Formula (1)

wherein R⁶, R⁷, R⁸, R⁹ and R¹⁰ may be the same or different, at least one of R⁶ to R¹⁰ represents a hydrogen atom, a saturated or unsaturated hydrocarbon group having at least one carbon atom with a proviso that, when at least two adjacent ones of R⁶ to R¹⁰ each represents a saturated or unsaturated hydrocarbon group having at least one carbon atom, at least said two adjacent ones of R⁶ to R¹⁰ may be fused together to form a ring, a saturated or unsaturated hydrocarbyloxy group having at least one carbon atom, a saturated or unsaturated hydrocarbylamino group having at least one carbon atom, a trifluoromethyl group, a cyano group or a halogen atom, and the remaining one or ones of R⁶ to R¹⁰, if any, are each a hydrogen atom, a saturated or unsaturated hydrocarbon group having at least one carbon atom with a proviso that, when at least two adjacent ones of R⁶ to R¹⁰ each represents a saturated or unsaturated hydrocarbon group having at least one carbon atom, at least said two adjacent ones of R⁶ to R¹⁰ may be fused together to form a ring, a saturated or unsaturated hydrocarbyloxy group having at least one carbon atom, a saturated hydrocarbylamino group having at least one carbon atom, a saturated hydrocarbylamino group having at least one carbon atom, a trifluoromethyl group, a cyano group or a halogen atom,

R³ and R⁴ may be the same or different, one of R³ and R⁴ represents a hydrogen atom, a cyano group, a nitro group, a trifluoromethyl group or a halogen atom, and the remaining one represents a hydrogen atom, a cyano group, a nitro group, a trifluoromethyl group or a halogen atom, and

R⁵ represents a substituted or unsubstituted, saturated or unsaturated alkyl group, a substituted or unsubstituted, alicyclic hydrocarbon group, a substituted or unsubstituted aryl group, a substituted or unsubstituted alkoxyl group, a substituted or unsubstituted, alicyclic hydrocarbyloxy group, or a substituted or unsubstituted, aromatic hydrocarbyloxy group.

Formula [II]

wherein:

 R^{11} and R^{12} may be the same or different and each independently represents a naphthyl group represented by the following formula (2):

Formula (2)

$$R^{16}$$
 R^{22} R^{21} R^{21} R^{20} R^{17} R^{18} R^{20} R^{21}

OF

wherein R¹⁶, R¹⁷, R¹⁸, R¹⁹, R²⁰, R²¹ and R²² may be the same or different, at least one of R¹⁶ to R²² represents a hydrogen atom, a saturated or unsaturated hydrocarbon group having at least one carbon atom, a saturated or unsaturated hydrocarbyloxy group having at least one carbon atom, a saturated or unsaturated hydrocarbylamino group having at least one carbon atom, a trifluoromethyl group, a cyano group or a halogen atom, and the remaining one or ones of R¹⁶ to R²², if any, are each a hydrogen atom, a saturated or unsaturated hydrocarbon group having at least one carbon atom, a saturated or unsaturated hydrocarbyloxy group having at least one carbon atom, a saturated bydrocarbyloxy group having at least one carbon atom, a carbon atom, a carbon group or a halogen atom.

R¹³ and R¹⁴ may be the same or different, one of R¹³ and R¹⁴ represents a hydrogen atom, a cyano group, a nitro group, a trifluoromethyl group or a halogen atom, and the remaining one represents a hydrogen atom, a cyano group, a nitro group, a trifluoromethyl group or a halogen atom, and

R¹⁵ represents a substituted or unsubstituted, saturated or unsaturated alkyl group, a substituted or unsubstituted, alicyclic hydrocarbon group, a substituted or unsubstituted aryl group, a substituted or unsubstituted alkoxyl group, a substituted or unsubstituted, alicyclic hydrocarbyloxy group, or a substituted or unsubstituted, aromatic hydrocarbyloxy group.

wherein:

 R^{23} is a phenyl group represented by the following formula (3): Formula (3)

wherein R^{28} , R^{29} , R^{30} , R^{31} and R^{32} may be the same or different, at least one of R^{28} to R^{31} represents a hydrogen atom, a saturated or unsaturated hydrocarbon group having at least one carbon atom with a proviso that, when at least two adjacent ones of R^{28} to R^{31} each represents a saturated or unsaturated hydrocarbon group having at least one carbon atom, at least said two adjacent ones of R^{26} to R^{31} may be fused together to form a ring, a hydrocarbyloxy group having at least one carbon atom, a hydrocarbylamino group having at least one carbon atom, a

trifluoromethyl group, a cyano group or a halogen atom, and the remaining one or ones of \mathbb{R}^{28} to \mathbb{R}^{31} , if any, are each a hydrogen atom, a saturated or unsaturated hydrocarbon group having at least one carbon atom with a proviso that, when at least two adjacent ones of \mathbb{R}^6 to \mathbb{R}^{10} each represents a saturated or unsaturated hydrocarbon group having at least one carbon atom, at least said two adjacent ones of \mathbb{R}^6 to \mathbb{R}^{10} may be fused together to form a ring, a saturated or unsaturated hydrocarbyloxy group having at least one carbon atom, a saturated or unsaturated hydrocarbylamino group having at least one carbon atom, a trifluoromethyl group, a cyano group or a halogen atom,

R²⁴ represents a naphthyl group represented by the following formula (4):

Formula (4)

wherein R³³, R³⁴, R³⁵, R³⁶, R³⁷, R³⁸ and R³⁹ may be the same or different, at least one of R³³ to R³⁹ represents a hydrogen atom, a saturated or unsaturated hydrocarbyloxy group having at least one carbon atom, a saturated or unsaturated hydrocarbyloxy group having at least one carbon atom, a saturated or unsaturated hydrocarbylamino group having at least one carbon atom, a trifluoromethyl group, a cyano group or a halogen atom, and the remaining one or ones of R³³ to R³⁹, if any, are each a hydrogen atom, a saturated or unsaturated hydrocarbyloxy group having at least one carbon atom, a saturated or unsaturated hydrocarbyloxy group having at least one carbon atom, a saturated or unsaturated hydrocarbyloxy group having at least one carbon atom, a variety or unsaturated hydrocarbylamino group having at least one carbon atom, a saturated or unsaturated hydrocarbylamino group having at least one carbon atom, a variety or unsaturated hydrocarbylamino group having at least one carbon atom, a variety or unsaturated hydrocarbylamino group having at least one carbon atom, a variety or unsaturated hydrocarbylamino group having at least one carbon atom, a variety or unsaturated hydrocarbylamino group having at least one carbon atom, a variety or unsaturated hydrocarbylamino group having at least one carbon atom, a variety or unsaturated hydrocarbylamino group having at least one carbon atom, a variety or unsaturated hydrocarbylamino group having at least one carbon atom, a variety or unsaturated hydrocarbylamino group having at least one carbon atom, a variety or unsaturated hydrocarbylamino group having at least one carbon atom, a variety or unsaturated hydrocarbylamino group having at least one carbon atom, a variety or unsaturated hydrocarbylamino group having at least one carbon atom, a variety or unsaturated hydrocarbylamino group having at least one carbon atom, a variety or unsaturated hydrocarbylamino group having at least one carbon atom, a variety or unsaturated hydrocarbylamino group havi

R²⁵ and R²⁶ may be the same or different, one of R²⁵ and R²⁶ represents a hydrogen atom, a cyano group, a nitro group, a trifluoromethyl group or a halogen atom, and the remaining one represents a hydrogen atom, a cyano group, a nitro group, a trifluoromethyl group or a halogen atom, and

R²⁷ represents a hydrogen atom, a substituted or unsubstituted, saturated or unsubstituted group, a substituted or unsubstituted, alicyclic hydrocarbon group, a substituted or unsubstituted aryl group, a substituted or unsubstituted alkoxyl group, a substituted or unsubstituted, alicyclic hydrocarbyloxy group, or a substituted or unsubstituted, aromatic hydrocarbyloxy group.

- 9. (Original) The aminostyrylnaphthalene compound according to claim 8, which is represented by the formula (5), (6), (7), (8), (9), (10), (11), (12), (13), (14), (15), (16) or (17) as defined in claim 6.
- 10. (Withdrawn) The process for the production of an aminostyrylnaphthalene compound represented by the formula [A] as defined in claim 7, which comprises subjecting a 4-aminobenzaldehyde represented by the following formula [B] and at least one of a phosphonate ester represented by the following formula [C] and a phosphonium represented by the following formula [D] to condensation:

Formula [B]

wherein Ra and Rb have the same meanings as defined above.

Formula [C]

Formula [D]

Wherein R^j represents a hydrocarbon group, R^c , R^d , R^s , R^f , R^g , R^h and R^i have the same meanings as defined above, and X represents a halogen atom.

11. (Withdrawn) The process for the production of an aminostyrylnaphthalene compound represented by the formula [I], [II] or [III] as defined in claim 8, which comprises subjecting a 4-(N,N-diarylamino)benzaldehyde represented by the following formula [IV] and at least one of a phosphonate ester represented by the following formula [V] and a phosphonium represented by the following formula [VI] to condensation:

Formula [IV]

wherein R^{71} and R^{72} each independently represents an aryl group corresponding to R^1 , R^2 , R^{11} , R^{12} , R^{23} or R^{24} as defined above.

wherein R⁷³ represents a hydrocarbon group, R⁷⁴ and R⁷⁵ each independently represents a group corresponding to R³, R⁴, R¹³, R¹⁴, R²⁵ or R²⁶ as defined above, R⁷⁶ represents a group corresponding to R³, R¹⁵ or R²⁷ as defined above, and X represents a halogen atom.

- 12. (Withdrawn) The process according to claim 10, wherein said condensation is conducted by the Wittig-Horner reaction, at least one of said phosphonate ester and said phosphonium is treated with a base in a solvent to form carbanions, and said carbanions and said 4-(N,N-diarylamino)benzaldehyde are subjected to condensation.
- 13. (Withdrawn) The process according to claim 10, wherein said condensation is conducted by the Wittig reaction, at least one of said phosphonate ester and said phosphonium is treated with a base in a solvent to form carbanions, and said carbanions and said 4-(N,N-diarylamino)benzaldehyde are subjected to condensation.
- 14. (Withdrawn) The process according to claim 11, wherein an aminostyrylnaphthalene compound represented by the formula (5), (6), (7), (8), (9), (10), (11), (12), (13), (14), (15), (16) or (17) as defined in claim 6 is obtained.
- 15. (Withdrawn) The phosphonate ester or phosphonium represented by the following formula [C] or [D] as defined in claim 10:

Formula [C]

$$(R^iO)_2PH_2C$$
 R^i
 R^i
 R^i

Formula [D]

wherein R^j represents a hydrocarbon group, R^c , R^d , R^s , R^f , R^g , R^h and R^i have the same meanings as defined above, and X represents a halogen atom.

16. (Withdrawn) The phosphonate ester or phosphonium as described in claim 11, which is represented by the following formula [V] or [VI]:

Formula [V]

Formula [VI]

wherein R^{73} represents a hydrocarbon group, R^{74} and R^{75} each independently represents a group corresponding to R^3 , R^4 , R^{13} , R^{14} , R^{25} or R^{26} , R^{76} represents a group corresponding to R^5 , R^{15} or R^{27} , and X represents a halogen atom.

- 17. (Withdrawn) The phosphonate ester according to claim 16, wherein \mathbb{R}^{73} represents a saturated hydrocarbon group having 1 to 4 carbon atoms.
- 18. (Withdrawn) The phosphonate ester or phosphonium according to claim 16, which is represented by the following formula (18) or (19):

18

Formula (18)

Formula (19)

wherein R73, R76 and X have the same meanings as defined above.

19. (Withdrawn) The process for the production of a phosphonate ester or phosphonium represented by the formula [C] or [D] as defined in claim 15, which comprises reacting a halogenated aryl compound represented by the following formula [E] with a trialkyl phosphite represented by the following formula [F] or triphenylphosphine (PPh₂);

Formula [E]

Formula [F]

P(ORi)3

wherein R^c, R^d, R^c, R^f, R^g, R^h, Rⁱ and X have the same meanings as defined above, and R^j represents a hydrocarbon group.

20. (Withdrawn) The process for the production of a phosphonate ester or phosphonium represented by the formula [V] or [VI] as defined in claim 16, which comprises reacting a halogenated aryl compound represented by the following formula [VII] with a trialkyl phosphite represented by the following formula [VIII] or triphenylphosphine (PPh₃):

Formula [VII]

Formula [VIII]

P(OR73)3

wherein R⁷⁴, R⁷⁵, R⁷⁶ and X have the same meanings as defined in claim 11, and R⁷³ represents a hydrocarbon group.

- 21. (Withdrawn) The process according to claim 20, wherein R⁷³ represents a saturated hydrocarbon group having 1 to 4 carbon atoms.
- 22. (Withdrawn) The process according to claim 20, wherein a phosphonate ester or phosphonium represented by the formula (18) or (19) as defined in claim 18 is obtained.
 - 23. (Withdrawn) A halogenated aryl compound represented by the following formula [E]: Formula [E]

$$XH_2C$$
 R^i
 R^b
 R^g

wherein:

 R^c , R^d , R^c , R^g , R^h and R^i may be the same or different, at least one of R^c , R^d , R^c , R^g , R^h and R^i independently represents a hydrogen atom, a cyano group, a nitro group, a trifluoromethyl group or a halogen atom, and the remaining one or ones of R^c , R^d , R^c , R^g , R^h and R^i , if any, are each a hydrogen atom, a cyano group, a nitro group, a trifluoromethyl group or a halogen atom, and

R^f represents a substituted or unsubstituted, saturated or unsaturated alkyl group, a substituted or unsubstituted alicyclic hydrocarbon group, a substituted or unsubstituted aryl group, a substituted or unsubstituted alicyclic hydrocarbyloxy group or a substituted or unsubstituted alicyclic hydrocarbyloxy group or a substituted or unsubstituted aryll group.

24. (Withdrawn) A halogenated aryl compound according to claim 23, which is represented by the following formula [VII]: Formula [VII]

wherein R⁷⁴ and R⁷⁵ may be the same or different, one of R⁷⁴ and R⁷⁵ represents a hydrogen atom, a cyano group, a nitro group, a trifluoromethyl group or a halogen atom, and the remaining one represents a hydrogen atom, a cyano group, a nitro group, a trifluoromethyl group or a halogen atom; R⁷⁶ represents a substituted or unsubstituted, saturated or unsaturated alkyl group, a substituted or unsubstituted, alicyclic hydrocarbon group, a substituted or unsubstituted aryl group, a substituted or unsubstituted alkoxyl group, a substituted or unsubstituted, alicyclic hydrocarbyloxy group, or a substituted or unsubstituted, aromatic hydrocarbyloxy group; and X represents a halogen atom.

25. (Withdrawn) A process for the production of a halogenated aryl compound represented by the formula [VII] as defined in claim 23, which comprises reacting a naphthalene compound represented by the following formula [G] with an N-halogenated succinimide represented by the following formula [H]:

Formula [G]

wherein $R^c,\,R^d,\,R^e,\,R^f,\,R^g,\,R^h$ and R^i have the same meanings as defined above. Formula [H]

wherein X represents a halogen atom.

26. (Original) The process according to claim 25, wherein a naphthalene compound represented by the following formula [IX] is used as said naphthalene compound to obtain a halogenated naphthalene compound represented by the formula [VII] as defined in claim 24.

Formula [IX]

$$H_3C \longrightarrow \mathbb{R}^{74}$$

wherein R^{74} , R^{75} and R^{76} have the same meanings as defined above.